

Trade name: PA 2200

Product no.: 9012-0014

Current version : 3.0.1, issued: 16.01.2018

Replaced version: 3.0.0, issued: 19.08.2015

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

PA 2200

Substance name Polylaulactam (polyamide 12) (CAS-No. 25038-74-8), modified, polymer

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Laser sintering

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

EOS GmbH - Electro Optical Systems
Robert-Stirling-Ring 1
82152 Krailling / München
GERMANY

Telephone no. +49 (0) 89 / 8 93 36 - 0

Fax no. +49 (0) 89 / 8 93 36 - 22 85

Information provided by / telephone

+49 (0) 89 / 893 36 - 0

Advice on Safety Data Sheet

MSDSInfo@eos.info

1.4 Emergency telephone number

+49 (0) 89 / 893 36 - 0 (8 am - 5 pm)

+49 (0) 89 / 893 36 - 151 (Mo - Thu: 9 am - 12 pm & 1 - 6 pm; Fr: 1 - 4 pm) (CET)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product does not meet the classification and labelling criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

Not relevant

Labelling information

The product does not require a hazard warning label in accordance with EC Directives.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical characterization

Substance name Polylaulactam (polyamide 12) (CAS-No. 25038-74-8), modified, polymer

3.2 Mixtures

Not applicable. The product is not a mixture.

Trade name: PA 2200

Product no.: 9012-0014

Current version : 3.0.1, issued: 16.01.2018

Replaced version: 3.0.0, issued: 19.08.2015

Region: GB

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Change contaminated clothing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

When in contact with the skin, clean with soap and water. After contact with molten product, cool quickly with cold water. Do not pull solidified product from skin. Seek medical attention.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.).

After ingestion

Seek medical advice immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; Carbon dioxide; Extinguishing powder; Water spray jet

Unsuitable extinguishing media

No data available.

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO); Nitrogen oxides (NO_x); Combustion products of this material have to be classed invariably as respiratory poison.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Avoid dust formation. Keep away sources of ignition.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically. When picked up, treat material as prescribed under heading "Disposal considerations".

6.4 Reference to other sections

No data available.

Trade name: PA 2200

Product no.: 9012-0014

Current version : 3.0.1, issued: 16.01.2018

Replaced version: 3.0.0, issued: 19.08.2015

Region: GB

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

No special measures necessary if stored and handled as prescribed. Avoid the formation and deposition of dust. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Provide eye wash fountain in work area. Do not inhale dust. Use barrier skin cream. Areas of the skin soiled with dust are to be cleaned with soap and water without delay, as the powder draws the natural moisture from the skin.

Advice on protection against fire and explosion

Dust can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep containers dry, tightly closed, at temperatures between 5 and 35°C and relative air moisture of 20 – 70%.

Requirements for storage rooms and vessels

Store product in closed containers.

Advice on storage assembly

None known

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	DUST		
	List of approved workplace exposure limits (WELs) / EH40		
	total inhalable dust		
	TWA	10	mg/m ³
	List of approved workplace exposure limits (WELs) / EH40		
	respirable dust		
	TWA	4	mg/m ³

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of dust formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Respirator with particulate filter (filter cat. P 3)

Eye / face protection

Safety glasses (EN 166)

Trade name: PA 2200

Product no.: 9012-0014

Current version : 3.0.1, issued: 16.01.2018

Replaced version: 3.0.0, issued: 19.08.2015

Region: GB

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. If this powder is handled at room temperature, it is not necessary to wear protective gloves.

In case of thermal processing, thermally insulating protective gloves are to be used.

Other

Wear fully closed, flame retardant clothing. Closed ESD safety footwear (ESD according to EN 61340-4-3 or equivalent).

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Form/Colour		
Powder		
white		
Odour		
odourless		
Odour threshold		
No data available		
pH value		
Not applicable		
Boiling point / boiling range		
Not applicable		
Melting point / melting range		
Value	185	°C
Method	EN ISO 11357-1	
Decomposition point / decomposition range		
Value	> 300	°C
Flash point		
Not applicable		
Ignition temperature		
Value	> 450	°C
Method	DIN 51794	
Remarks	Minimum ignition energy with inductance: 100 - 300 mJ	
Auto-ignition temperature		
No data available		
Oxidising properties		
No data available		
Explosive properties		
Product is explosive.		
Flammability (solid, gas)		
No data available		
Lower flammability or explosive limits		
Value	30	g/m³

Trade name: PA 2200

Product no.: 9012-0014

Current version : 3.0.1, issued: 16.01.2018

Replaced version: 3.0.0, issued: 19.08.2015

Region: GB

Upper flammability or explosive limits

No data available

Vapour pressure

Not applicable

Vapour density

No data available

Evaporation rate

No data available

Relative density

No data available

Density

Value	1.0	-	1.1	g/cm ³
Reference temperature			20	°C

Solubility in water

Remarks	insoluble
---------	-----------

Solubility(ies)

No data available

Partition coefficient: n-octanol/water

No data available

Viscosity

No data available

9.2 Other information**Other information**

No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

none, if handled according to order

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute oral toxicity**

Remarks	No data available.
---------	--------------------

Acute dermal toxicity

Remarks	No data available.
---------	--------------------

Trade name: PA 2200

Product no.: 9012-0014

Current version : 3.0.1, issued: 16.01.2018

Replaced version: 3.0.0, issued: 19.08.2015

Region: GB

Acute inhalational toxicity	
Remarks	No data available.
Skin corrosion/irritation	
Remarks	No data available.
Serious eye damage/irritation	
Remarks	No data available.
Respiratory or skin sensitisation	
No data available	
Germ cell mutagenicity	
No data available	
Reproduction toxicity	
No data available	
Carcinogenicity	
No data available	
STOT - single exposure	
No data available	
STOT - repeated exposure	
No data available	
Aspiration hazard	
No data available	
Symptoms related to the physical, chemical and toxicological characteristics	
Eye contact may cause mechanical irritation through dust particles.	
Delayed and immediate effects as well as chronic effects from short and long-term exposure	
Inhalation of dusts may irritate the respiratory tract.	

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)	
Remarks	No data available.
Toxicity to fish (chronic)	
No data available	
Toxicity to Daphnia (acute)	
Remarks	No data available.
Toxicity to Daphnia (chronic)	
No data available	
Toxicity to algae (acute)	
Remarks	No data available.
Toxicity to algae (chronic)	
No data available	
Bacteria toxicity	
No data available	

12.2 Persistence and degradability

Physico-chemical eliminability	
Remarks	If used properly, this product does not cause problems, on the strength of previous experience.

Trade name: PA 2200

Product no.: 9012-0014

Current version : 3.0.1, issued: 16.01.2018

Replaced version: 3.0.0, issued: 19.08.2015

Region: GB

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Trade name: PA 2200

Product no.: 9012-0014

Current version : 3.0.1, issued: 16.01.2018

Replaced version: 3.0.0, issued: 19.08.2015

Region: GB

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

In accordance with the Reach regulation (EC) 1907/2006, the product does not contain any substances that are considered as subject to listing in annex XIV, inventory of substances requiring authorisation.

REACH candidate list of substances of very high concern (SVHC) for authorisation

In accordance with article 57 and article 59 of the Reach regulation (EC) 1907/2006, this substance is not considered as subject to listing in annex XIV, inventory of substances requiring authorisation ("Authorization list").

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The substance is not subject to the provisions of annex XVII (restriction entries) of the Reach regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This substance is not subject to Part I or 2 of Annex I

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Department issuing safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 611149



EOS GmbH Electro Optical Systems • Robert-Stirling-Ring 1 • D-82152 Krailling

Declaration of Compliance

using PFOA during manufacturing process (Annex XVII to REACH, entry 68)

Manufacturer	EOS GmbH Electro Optical Systems Robert-Stirling-Ring 1 D-82152 Krailling/München
Date of issue	24 September 2020
Product name	Alumide®, PA 1101, PA 2200, PA 2201, PA 2210 FR, PA 3200 GF®, PrimePart® ST PEBA 2301
Product code	9012-0029/200000331, 9012-0091/200000335, 9012-0014/ 200000061, 9012-0019/200000332, 9012-0045/200000333, 9012- 0017/200000063, 9012-0058
Compliance to regulations	Hereby we confirm with this declaration that we do not intentionally use PFOA and its salts or PFOA related substances as defined in Annex XVII of REACH (entry 68) during manufacturing process of above mentioned products. Please note that above mentioned products are made of raw materials of technical purity. Based on this the occurrence of these substances can be excluded except negligible amounts on the level of natural / technical impurities. Please also note that above mentioned products are not routinely analyzed for PFOA.

Authorized signature

Authorized name Thomas Tayarani – Regulatory Affairs Specialist

This certificate is issued on 24 September 2020 and is of unlimited duration until further notice.

Version 1.0, issued on September 24, 2020

EOS GmbH Electro Optical Systems
Robert-Stirling-Ring 1
D-82152 Krailling/Munich, Germany

Phone +49 89 893 36-0
Telefax +49 89 893 36-285
Web www.eos.info

HypoVereinsbank SWIFT: HYVEDEMMXXX
IBAN: DE81 7002 0270 0044 6197 50 €
DZ Bank AG SWIFT: GENODEFF 701
IBAN: DE32 7016 0000 0000 1396 08 €
IBAN: DE02 7016 0000 0020 1396 08 \$

Management Marie Langer
Dr. Adrian Keppler
Eric Paffrath
Horst Wladarsch
Company reg. in Munich HRB 87386
Tax No. DE 12 933 9753



EOS GmbH Electro Optical Systems • Robert-Stirling-Ring 1 • D-82152 Krailling

SVHC-Konformitätserklärung

Produkt Name: Alumide, PA 1101, PA 2200, PA 2201, PA 2210 FR, PA 2221, PA 2241 FR, PA 3200 GF

Produkt Nummer: 9012-0029 / 200000331, 9012-0091 / 200000335, 9012-0014 / 200000061, 9012-0019 / 200000332, 9012-0045 / 200000333, 9012-0072 / 200000416, 9012-0077 / 200000062, 9012-0017 / 200000063

Nach Artikel 33 REACH-Verordnung ist der Hersteller von Produkten, welche besonders besorgnis-erregende Substanzen (SVHC, Substances of Very High Concern) in einer Konzentration größer 0,1 % (w/w) enthalten sind und durch die ECHA unter <http://www.echa.europa.eu/candidate-list-table> regelmäßig veröffentlicht werden, verpflichtet, seine Kunden entsprechend zu informieren.

Aufgrund der uns vorliegenden Informationen unserer Materiallieferanten können wir versichern, dass keine der in der Kandidatenliste am 08-07-2021 veröffentlichten Substanzen, mit Ausnahme von vernachlässigbaren Mengen aufgrund technischer Verunreinigungen, welche aber unterhalb der Grenzkonzentration von 0,1 % (w/w) liegen, vorhanden sind.

SVHC confirmation of compliance

Product name: Alumide, PA 1101, PA 2200, PA 2201, PA 2210 FR, PA 2221, PA 2241 FR, PA 3200 GF

Product number: 9012-0029 / 200000331, 9012-0091 / 200000335, 9012-0014 / 200000061, 9012-0019 / 200000332, 9012-0045 / 200000333, 9012-0072 / 200000416, 9012-0077 / 200000062, 9012-0017 / 200000063

According to article 33 REACH regulation the manufacturer of products containing Substances of very high concern (SVHC) in concentrations higher than 0,1 % (w/w) that are regularly published by ECHA under <http://www.echa.europa.eu/candidate-list-table>, is required to inform his customers accordingly. Based on the current information of our material suppliers the occurrence of SVHC published on July 8, 2021 can be excluded for the above mentioned products, except for negligible quantities on the level of technical impurities below 0.1% (w/w).

Datum/Date: 22-11-2021

Thomas Tayarani
Regulatory Affairs Specialist

EOS GmbH Electro Optical Systems
Robert-Stirling-Ring 1
D-82152 Krailling/Munich, Germany
Phone +49 89 893 36-0
Telefax +49 89 893 36-285
Web www.eos.info

HypoVereinsbank SWIFT: HYVEDEMMXXX
IBAN: DE81 7002 0270 0044 6197 50 €
DZ Bank AG SWIFT: GENODEFF 701
IBAN: DE32 7016 0000 0000 1396 08 €
IBAN: DE02 7016 0000 0020 1396 08 \$

Management Marie Langer
Eric Paffrath
Horst Wladarsch
Company reg. in Munich HRB 87386
Tax No. DE 12 933 9753